



www.raycomfg.com

RC814-AU Brush Chipper

| | |
|------------------------------------|---|
| Length | 177" (449.6 cm) |
| Height | 88" (224 cm) |
| Width | 62" (157.5 cm) |
| Weight | 2940 lbs (1333.56 kg) |
| Engine | KUBOTA, Diesel, Turbo-charged, 44.2 hp (33 kW) |
| Peak Torque (lb-ft) | 88.5 ft-lb (120 Nm) @ 2,000 rpm |
| Number of Cylinders | 4 cylinder |
| Emissions | Interim Tier IV / Stage IIIA |
| Fuel Tank | 11.5 gal (43.5 L) |
| Run Time on Fuel Tank (Hrs) | 8 Hrs |
| Hydraulic Tank | 4.3 gal (16.3 L) |
| Cutter | 31" disc x 1.25" thick (78.7 cm x 3.175 cm) |
| Knives | 10.5" x 4" x 3/8" lg., double-edged (26.67 cm x 10.16 cm x .9525 cm) |
| Quantity of Knives | 2 |
| Bedknife | Single edge, 1/2" x 2.5" x 8" (1.27 cm x 6.35 cm x 20.32 cm) |
| Chipping Capacity | 8" diameter (20.3 cm) |
| Infeed Opening | 8" x 14" (20.3 cm x 35.6 cm) |
| Infeed Floor/Table Length | 80" (203 cm) (to knife) 74" (188 cm) (to feed wheel) |
| Feed Table Height | 30" (76 cm) |
| Feed Roller Style | Horizontal |
| Downpressure | Hyd. Cylinder |
| Intake Rate | 80 fpm (24.38 m/min) |
| Discharge Height | 88" (223 cm) |
| Rotation | 360° |
| Feed Wheel Diameter | 9.25" (23.5 cm) diameter upper 4" (10 cm) diameter lower Torflex Axle |
| Suspension | |

RAYCO's RC814 is a compact, 8" capacity chipper that delivers top-notch performance while going easy on the pocketbook. It's equipped with VersaFeed® automatic feed control and a 44hp Kubota diesel engine that meets Interim Tier IV / Stage IIIA emissions standards. The RC814 features a Torflex axle allowing it to tow smoothly, even behind compact pickups. And you don't have to sacrifice performance because you're using a compact chipper. The RC814 is the only machine in its class to feature hydraulic feed wheel lift and crush and it tackles the tough jobs with an 8"x14" infeed opening and plenty of feeding power. Stubbom material is no match for the powerful dual feed wheels.
(* Photos shown with optional drop down leg)

RC814-AU

www.raycomfg.com



RC814 in Action



Lockable Tool Box



Dual Feed Wheels



AU Kerb Side Control



Hydraulic Lift and Crush



Lower Feed Stop Bar

Think Smart, Think Safe.....

We care about your safety. When operating your RAYCO machinery always wear an approved helmet complete with ear muffs, face shield and the proper eyewear. Never operate under the influence of alcohol or drugs. Know your RAYCO, read and understand your owner's manual cover to cover.

Not all photos shown are Australian Model.



RAYCO Manufacturing, Inc.

4255 E Lincoln Way

Wooster, Ohio 44691-8601 USA

Phone: 330.264.8699

Fax: 330.264.3697

raycomfg.com

*BC-801-09/11 (replaces BC-801AU-10/10)
Made and Printed in the USA*

Copyright © 2009 RAYCO Manufacturing, Inc., Wooster, OH 44691

RAYCO Manufacturing Inc. retains the right to make changes in design and specifications; engineering; add or remove features; add improvements; or discontinue manufacturing at any time without notice or obligation.