



www.raycomfg.com



RG1645

Turbo Diesel, Self-Propelled Stump Cutter

General Specifications:

Weight	2,450 lb (1,111 kg)
Length	136" (345 cm)
Height	56.6" (143 cm)
Width	35" (87.8 cm)
w/ Dual wheels	46" (117 cm)
Ground Drive	Self-propelled hydraulic, 2-speed
Engine	KUBOTA V1505-T, 4 cylinder, turbo diesel, 44.2 hp (33 kW)
Fuel Tank	10 gal (37.8 L)
Super Tooth®	24 total
Cutter Wheel	20" x .625" (50.8 x 1.6 cm)
Cutting Depth	14" (35.5 cm)
Cutting Height	23.5" (59.7 cm)
Cutting Width	59" (149.8 cm)



All photos shown with optional utility hitch / lifting eye / 2-joystick controls

The revolutionary design of **RAYCO**'s **RG1645** combines a 44 hp Kubota turbo-diesel engine, 4 wheel-drive, and 59" cutting width into a compact machine with a low center of gravity. The unique pivot design keeps the engine's weight low to the frame so you don't sacrifice stability to get diesel horsepower to the stump. Fold down chip retainers provide loads of chip capacity and minimize cleanup time.

The RG1645 was built with the operator in mind. RAYCO's 4-lever control system or optional 2-joystick control system makes operation a breeze. Command Cut prevents engine stalling and allows mechanical drive train to deliver maximum horsepower to the cutter wheel. You need a machine that is capable of taking on whatever challenges your job brings. The RG1645 is your smart solution from RAYCO.

- Dual rear wheels
- Fits through 36" gate (w/removal of outer dual wheels)
- 44 hp Kubota turbo diesel
- 4 wheel-drive w/2-speed
- Optional Joystick control system
- Low center of gravity
- Hydraulic backfill blade
- Command Cut



Hydraulic Backfill Blade



Optional Utility Hitch / Lift Eye



Optional 2-Joystick Control System



Fold-Down Chip Retainers



RG1645

www.raycomfg.com

Think Smart, Think Safe.....

We care about your safety. When operating your RAYCO machinery always wear an approved helmet complete with ear muffs, face shield and the proper eyewear. Never operate under the influence of alcohol or drugs. Know your RAYCO, read and understand your owner's manual cover to cover.

800.392.2686

CALL TOLL FREE 800.392.2686
(USA or Canada Only)



RAYCO Manufacturing, Inc.
4255 E Lincoln Way
Wooster, Ohio 44691-8601 USA
Phone: 330.264.8699
Fax: 330.264.3697
raycomfg.com

*SP-701-09/11 (replaces SP-701-03/10)
Made and Printed in the USA*

Copyright © 2008 **RAYCO** Manufacturing, Inc., Wooster, OH 44691

RAYCO Manufacturing Inc. retains the right to make changes in design and specifications; engineering; add or remove features; add improvements; or discontinue manufacturing at any time without notice or obligation.