



RG1635 Super Trac Jr



RAYCO

RAYCO

RG1635 TRAC Jr

WWW.RAYCOMFG.COM


www.raycomfg.com

To see the Trac Jr in action log on to www.raycomfg.com



Rubber Track Undercarriage

Model	RG1635 Trac Jr
	Gasoline Powered
Weight	1,670 lb (757.5 kg)
Length	91" (231 cm)
Height	56" (142 cm)
Width	35.5" (89.5 cm)
Ground Drive	Self-Propelled Hydraulic, 2-Speed
Engine	Vanguard 35 hp (26 kW), Gasoline
Fuel Tank	10 gal (37.8 L)
Super Tooth®	18 Total
Cutter Wheel	17.25" x 1" (43.8 cm x 2.5 cm)
Cutting Depth	12" (30.5 cm)
Cutting Height	21" (53.3 cm)
Cutting Width	47" (119.4 cm)



- 35 hp Vanguard Engine
- Swing-Out Operator Station
- 47" Cutting Width
- Swing-Out Chip Retainers
- Hydraulic Backfill Blade
- 2-Speed Ground Travel
- Rubber Track Undercarriage
- Command Cut Automatic Swing-Speed Control

We've raised the bar on Compact Stump Cutters.



Swing-Out Chip Retainers



Hydraulic Backfill Blade



Available with Custom Trailer



47" Cutting Width



2-Speed Ground Travel



35 hp Vanguard Engine



In a Class of its Own

Only machine to offer both rubber tracks and swing-out operator controls.

When you need a compact stump cutter with the go-anywhere traction and flotation that only tracks can provide, the Trac Jr is your solution. This all-new design from RAYCO raises the bar for compact stump cutters by offering a small machine that is truly full-featured. Rubber tracks provide excellent traction and ground pressure of less than 4psi. The huge, 47-inch cutting width tackles big stumps and a hydraulic backfill blade makes clean-up work easy. A RAYCO-exclusive swing out control station provides excellent visibility of the cutting action while swinging forward to travel through gates. Available with a custom trailer.

Think Smart, Think Safe.....

We care about your safety. When operating your RAYCO machinery always wear an approved helmet complete with ear muffs, face shield and the proper eyewear. Never operate under the influence of alcohol or drugs. Know your RAYCO, read and understand your owner's manual cover to cover.

800.392.2686

CALL TOLL FREE 800.392.2686
(USA or Canada Only)



RAYCO Manufacturing, Inc.
4255 E Lincoln Way
Wooster, Ohio 44691-8601 USA
Phone: 330.264.8699
Fax: 330.264.3697
raycomfg.com

SP-301TRAC-09/11 (replaces SP-301TRAC-04/10)
Made and Printed in the USA

Copyright © 2010 RAYCO Manufacturing, Inc., Wooster, OH 44691

RAYCO Manufacturing Inc. retains the right to make changes in design and specifications; engineering; add or remove features; add improvements; or discontinue manufacturing at any time without notice or obligation.